



NOTES:  
1. IF STOPWATER CURB EXTENSION IS CONSTRUCTED NEXT TO AN EXISTING SIDEWALK, SOIL ELEVATION MUST BE BROUGHT TO TOP OF CURB AND SLOPE AWAY FROM CURB AT 4:1 SLOPE.  
2. LINER REQUIRED WHERE FACE OF NEW CURB IS <2FT FROM ADJACENT WATER LINE OR ON HIGHER STREET CLASSIFICATIONS. LINER MAY BE REQUIRED ON LOCAL STREETS WITH TRANSIT ROUTES, HIGHER TRAFFIC VOLUMES, OR WHEN FACILITY IS ADJACENT TO TRAVEL LANE, AT THE DISCRETION OF THE ENGINEER.



CURB EXTENSION SECTION  
NOT TO SCALE

Sheet Number: 10 of 13  
Project Number: 9037  
**DRAFT NOT FOR CONSTRUCTION**

Existing Conditions Provided By:  
University of Connecticut Facilities  
Date: November 2009

Prepared For:  
Center for Land Use Education and Research  
University of Connecticut  
Chester Arnold  
P.O. Box 70  
Hadam, CT 06439  
Phone: (860) 345-5230  
Fax: ---

Plan Set:  
**EAGLEVILLE BROOK IMPERVIOUS COVER TMDL RETROFIT PROJECT UNIVERSITY OF CONNECTICUT**  
Plan Title:  
**25% DESIGN CONCEPT SITE C18**

Horsley Witten Group, Inc.  
Sustainable Environmental Solutions  
www.horsleywitten.com  
90 Route 6A Sandwich, MA 02563  
508-833-6600 voice 508-833-3150 fax  
**Center for Watershed Protection**  
8390 Main Street 2nd Floor  
Ellicott City, MD 21043  
410-461-8323 voice 410-461-8324 fax  
Date: 01/20/2010  
Designed By: KAC/DSC  
Drawn By: ERK  
Checked By: RAC

Rev.	Date	By	Appr.	Description

Revisions